

156, 157, 158, 159, 163
341/20

(FILE 'USPAT' ENTERED AT 13:34:40 ON 03 SEP 94)

L1 21461 S (HANDHELD OR (HAND HELD))
L2 1006322 S CONTROL?
L3 0 S 364/453 AND L1
L4 2 S 364/453/CCLST AND L1
L5 14966 S TEMPERATURE (3A) COMPENSAT?
L6 437 S 73/503,504/CCLST
L7 10 S L5 AND L6
L8 0 S L7 AND L1
L9 1 S L6 AND L1
L10 25134 S (GAME (2A) L2) OR (USER INTERFACE) OR (REMOTE
(1A) L2) O R (
L11 591 S L1 (P) L10
L12 4147 S GYROSCOP?
L13 0 S L11 AND L12
L14 105 S L10 AND L12
L15 26 S L10 (P) L12
L16 0 S 345/-+
L17 737 S 345/156-167/CCLST
L18 3 S L12 AND L17
L19 0 S 5138154/PN AND L5
L20 0 S 5138154/PN AND TEMPERATURE
L21 86 S L5 (P) DRIFT (P) SENSOR?
L22 6 S L21 (P) L12
L23 4 S L21 AND L10
L24 0 S L21 AND L17
L25 7 S L5 AND L17
L26 2 S L21 (P) ACCELER?
L27 59 S RADIO AND L17
L28 7778 S DETECT? (3A) (REST OR RESTING OR (NON USE)) L29
10 S L17 AND L28
L30 738 S DETECT? (4A) (REST OR RESTING OR NONUSE) L31
2 S L30 AND L17
L32 26 S L30 AND L10
L33 26 S L32 NOT L31
L34 1302 S REST STATE
L35 25 S L34 AND L1
L36 0 S L35 AND L17

=> d 11

1. D 350,127, Aug. 30, 1994, Stand for a ****handheld**** laser scanner; Phillip C. Gummeson, et al., D14/116 [IMAGE AVAILABLE]

=> d 118 1-3

1. 5,329,276, Jul. 12, 1994, Multidimensional signal input device; Tsukamitsu Hirabayashi, 340/870.31; 273/438; 341/20; ****345/157****, ****161****; 364/190 [IMAGE AVAILABLE]

2. 5,296,871, Mar. 22, 1994, Three-dimensional mouse with tactile feedback; W. Bradford Paley, ****345/163****; 340/407.2;

10. 5,285,493, Feb. 8, 1994, **Radio** tele-communication device with received message displaying feature; Kiyoshi Wagai, et al., 379/58; 340/825.44; **345/156**, 193; 379/61, 63 [IMAGE AVAILABLE]

13. 5,270,689, Dec. 14, 1993, Multi-function operating device; Kunzner Hermann, 345/145, **157** [IMAGE AVAILABLE]

23. 5,132,672, Jul. 21, 1992, Three degree of freedom graphic object controller; Michael R. Clark, **345/164** [IMAGE AVAILABLE]

31. 4,862,152, Aug. 29, 1989, Sonic positioning device; Ronald E. Milner, **345/158**; 178/18; 367/104, 117, 907; 901/1 [IMAGE AVAILABLE]

35. 4,754,268, Jun. 28, 1988, Wireless mouse apparatus; Akira Mori, **345/163**; 273/438; **345/158**, 168, 212; 455/100, 125, 128 [IMAGE AVAILABLE]

=> d hiw

'L36' HAS NO ANSWERS

L1 21461 SEA FILE=USPAT (HANDHELD OR (HAND HELD))
L17 737 SEA FILE=USPAT 345/156-167/CCLST
L34 1302 SEA FILE=USPAT REST STATE
L35 25 SEA FILE=USPAT L34 AND L1
L36 0 SEA FILE=USPAT L35 AND L17

=> d his

(FILE 'USPAT' ENTERED AT 13:34:40 ON 03 SEP 94)

L1 21461 S (HANDHELD OR (HAND HELD))
L2 1006322 S CONTROL?
L3 0 S 364/453 AND L1
L4 2 S 364/453/CCLST AND L1
L5 14966 S TEMPERATURE (3A) COMPENSAT?
L6 437 S 73/503,504/CCLST
L7 10 S L5 AND L6
L8 0 S L7 AND L1
L9 1 S L6 AND L1
L10 25134 S (GAME (2A) L2) OR (USER INTERFACE) OR (REMOTE
(1A) L2) O R (
L11 591 S L1 (P) L10
L12 4147 S GYROSCOP?
L13 0 S L11 AND L12
L14 105 S L10 AND L12
L15 26 S L10 (P) L12
L16 0 S 345/-+
L17 737 S 345/156-167/CCLST
L18 3 S L12 AND L17
L19 0 S 5138154/PN AND L5
L20 0 S 5138154/PN AND TEMPERATURE
L21 86 S L5 (P) DRIFT (P) SENSOR?
L22 6 S L21 (P) L12
L23 4 S L21 AND L10
L24 0 S L21 AND L17
L25 7 S L5 AND L17

L26 2 S L21 (P) ACCELER?
L27 59 S RADIO AND L17
L28 7778 S DETECT? (3A) (REST OR RESTING OR (NON USE)) L29
 10 S L17 AND L28
L30 738 S DETECT? (4A) (REST OR RESTING OR NONUSE) L31
 2 S L30 AND L17
L32 26 S L30 AND L10
L33 26 S L32 NOT L31
L34 1302 S REST STATE
L35 25 S L34 AND L1
L36 0 S L35 AND L17

=>